





## Accessori e colle




**Guarnizioni tecniche 1" = 26 mm 1" 1/4 = 32 mm 1" 1/2 = 40 mm**

Ø (mm)	Ø1 (mm)	Ø2 (mm)	Codice	€/pz			L (mm)	Note
32	1"	37	6820300	<b>1,38</b>	50	24.000	13	
40	1"	46,5	6820400	<b>1,38</b>	50	12.000	18	
40	1" 1/4	46,5	6820401	<b>1,38</b>	50	12.000	18	
50	1"	55	6820502	<b>1,65</b>	50	6.000	19	
50	1" 1/4	56	6820500	<b>1,65</b>	50	6.000	19	
50	1" 1/2	55	6820501	<b>1,65</b>	50	6.000	19	




**Sifone Redi A-N (O-Ring) predisposto per la ventilazione Ø40**

DN (mm)	Codice	€/pz			Note
110	1750052	<b>66,37</b>	5	35	



**Raccordo di passaggio ghisa-PP (Doppia guarnizione esclusa)**

DN (mm)	DN ghisa (mm)	Codice	€/pz			L (mm)	L1 (mm)	Note
50	72	Z6861PP	<b>6,15</b>	20	1.280	140	70	
75	92	Z6862PP	<b>7,68</b>	20	1.280	142	71	
110	124	Z6863PP	<b>11,81</b>	15	480	158	83	




**Doppia guarnizione (A+B per raccordo di passaggio ghisa-PP)**

DN (mm)	DN ghisa (mm)	Codice	€/pz			Note
50	-	ZSG50PA	<b>3,77</b>	10	-	
75	-	ZSG75PA	<b>4,76</b>	1	2.430	
110	-	ZSG11PA	<b>5,69</b>	1	-	




**Curva 87°30' PP (con attacco laterale a 45°)**



Mod.	DN (mm)	DN1 Attac. (mm)	Codice	€/pz			L (mm)	L1 (mm)	L2 (mm)	L3 (mm)	h (mm)	Z1 (mm)	α
DX	110	40	Z2304PP*	<b>12,63</b>	20	160	161	66	68	87	138	88	45°
SX	110	40	Z2340PP*	<b>12,63</b>	20	160	161	66	68	87	132	88	45°
SX	110	50	Z2350PP*	<b>13,60</b>	20	160	161	61	68	90	132	90	45°

\* in esaurimento





### Curva 87°30' PP (con due attacchi laterali a 45°)




Mod.	DN (mm)	DN1 Attac. (mm)	Codice	€/pz			L (mm)	L1 (mm)	L2 (mm)	L3 (mm)	h (mm)	Z1 (mm)	α
SX-DX	110	40	Z2344PP*	<b>17,98</b>	20	160	161	66	68	87	132	88	45°
SX-DX	110	50	Z2355PP*	<b>18,90</b>	20	160	161	61	68	90	132	90	45°

\* in esaurimento





### Rosone



d1 (mm)	d2 (mm)	Codice	€/pz			h (mm)	Note
90	-	0480903	<b>5,61</b>	20	1.620	-	Colore Bianco
100	-	0481003	<b>5,61</b>	20	1.620	-	Colore Bianco
110	150	0481103	<b>6,26</b>	50	1.200	28	Colore Bianco

### Tappo tecnico multiplo




DN (mm)	Codice	€/pz			h (mm)	Note
40-46-50-60	OTAMUPP	<b>0,99</b>	1	1.200	37,5	

### Tappo di protezione per pozzetto a pavimento




DN (mm)	Codice	€/pz			Note
100	T651000	<b>0,97</b>	20	2.000	




### Aumento concentrico compatto

DN (mm)	DN1 (mm)	DN2 (mm)	Codice (Nero)	€/pz			H (mm)	H1 (mm)	S (mm)	Note
110	160	166	0686348	<b>9,80</b>	16	384	69,5	57	4	



(A)

(B)





### Raccordo di passaggio PVC-PP (aumento)

Mod.	DN F (mm)	DN1 M (mm)	Codice	€/pz			L (mm)	L1 (mm)	Materiale	Note
A	40	40	063558M	<b>3,74</b>	10	2.600	73	52	PVC	
A	50	50	063568M	<b>5,22</b>	40	2.080	83	52	PVC	
A	125	125	D501212	<b>13,89</b>	25	200	-	-	PVC	
B	63	75	053075M	<b>5,88</b>	40	960	-	-	PVC	
B	75	80	Z6868PP	<b>12,26</b>	20	640	190	78,5	PP	
B	75	100	0503312	<b>10,90</b>	50	400	-	-	PVC	
B	90	100	0531012	<b>10,90</b>	20	480	-	-	PVC	
B	90	110	0531152	<b>10,91</b>	20	480	132	80	PVC	
B	100	110	Z5331PP	<b>9,47</b>	15	480	123	66	PP	
B	100	110	0533152	<b>9,30</b>	18	432	-	-	PVC	
B	110	125	0513252	<b>9,30</b>	35	280	190	91	PVC	Eccentrico

#### Esempi di applicazione

(1) 063558M + 0971042


(2) 063558M + 1961002



### Curva di passaggio PP-PVC


$\alpha$	DN PP (mm)	DN PVC (mm)	Codice	€/pz			Z1 (mm)	Z2 (mm)	Note
15°	110	100	01011R2	<b>8,54</b>	15	360	15	15	PVC
30°	110	100	0041052	<b>8,54</b>	15	360	15	26	PVC
45°	110	100	0041552	<b>8,54</b>	15	360	32	32	PVC
67°	110	100	01311R2	<b>9,58</b>	10	240	34	47	PVC
87°	110	100	07111R2	<b>9,58</b>	10	240	51	66	PVC

### Raccordo di passaggio PP-PVC



(B)

(A)



Mod.	DF (mm)	DM (mm)	Codice	€/pz			Z1 (mm)	Z2 (mm)	L (mm)	L1 (mm)	Mat.	Note
A	75	63	0930712	<b>6,12</b>	15	780	-	-	-	-	PVC	O-Ring
A	80	75	0930812	<b>9,95</b>	20	1.040	-	-	-	-	PVC	O-Ring
A	110	90	0520952	<b>9,35</b>	20	480	67	10	148	90	PVC	O-Ring
A	110	100	0521152	<b>7,62</b>	18	432	67	10	148	90	PVC	O-Ring
A	125	100	0931212	<b>11,99</b>	15	360	77	18	172	102	PVC	O-Ring
A	125	110	D931112	<b>12,66</b>	45	360	-	-	-	-	PVC	O-Ring
B	110	100	Z6922PP*	<b>11,32</b>	20	320	-	-	-	-	PP	Prolungato O-Ring

\*fino ad esaurimento scorte



### Raccordo dritto in PE con dado girevole in ottone

DN (mm)	Codice	€/pz			Note
40 - 1"1/4	ZP114PP	<b>10,29</b>	20	1.280	
40 - 1"1/2	ZP112PP	<b>11,42</b>	20	1.280	



### Raccordo curvo in PE con dado girevole in ottone

DN (mm)	Codice	€/pz			Note
40 - 1"1/4	ZP214PP	<b>10,08</b>	20	1.280	
40 - 1"1/2	ZP212PP	<b>10,97</b>	20	1.280	



### Collegamento Piombo/PVC-PP-PE a stringere

DN piombo (mm)	DN PVC-PP-PE	Codice	€/pz			Colore	Note
32	32	M6103FG	<b>5,73</b>	20	2.560	Grigio	
35	40	M6104FG	<b>5,73</b>	10	2.560	Bianco	

Corpo in polipropilene  
Bloccaggio con ghiera e guarnizione




### Collegamento Piombo/PVC-PP a stagnare

DN (mm)	Codice	€/pz			Note
32	C170300	<b>9,32</b>	10	8.100	
40	C170400	<b>9,96</b>	10	2.400	
50	C180500	<b>10,35</b>	10	3.240	




### Ghiera di passaggio

Ø F M	Codice	€/pz			Note
1"x1"1/4	M6703FG	<b>1,75</b>	50	10.400	Aumento
1"1/4x1"1/2	M6704FG	<b>1,75</b>	50	8.100	Aumento
1"1/2x2"	M6705FG	<b>3,33</b>	10	4.050	Aumento
1"1/2x1"1/4	M6733FG	<b>3,33</b>	25	8.100	Riduzione




### Giunti speciali

Mod.	DF (mm)	DM (mm)	Codice	€/pz			Note
B	100	90	1790902	<b>9,70</b>	1	840	Liscio
A	125	100	1791102	<b>24,41</b>	6	-	
A	125	110	1792202	<b>30,27</b>	1	100	
A	140	100	1794402	<b>30,27</b>	6	-	
A	140	110	1795502	<b>48,46</b>	8	-	
A	160	100	1796602	<b>48,46</b>	6	-	
A	160	110	1797702	<b>59,03</b>	6	60	
A	160	125	1798802	<b>61,12</b>	6	60	



### Guarnizione a labbro

DN (mm)	Codice	€/pz			h	Note
32	7803000	<b>0,43</b>	1	-	6	
40	6830400	<b>0,37</b>	1	-	7,8	
50	6830500	<b>0,41</b>	1	-	7,8	
63	6800600	<b>0,52</b>	1	1.500	-	
75	6830700	<b>0,52</b>	1	13.000	7,8	
82	6808200	<b>0,98</b>	1	-	7,8	OR sezione tonda
90	6800900	<b>0,98</b>	1	8.736	-	
100	6831000	<b>0,98</b>	1	6.480	-	
100	6801000	<b>0,98</b>	1	50.000	-	OR sezione tonda per giunti scorrevoli
110	6831100	<b>0,98</b>	1	5.220	9,9	
125	6831200	<b>1,39</b>	1	3.600	10,2	
160	6831600	<b>1,96</b>	1	1.904	11,5	
200	6832000	<b>2,15</b>	1	1.080	-	
250	6832500	<b>4,11</b>	1	1.000	-	
315	6833100	<b>6,04</b>	1	720	-	
400	6834000	<b>12,15</b>	1	400	-	
500	6835000	<b>28,74</b>	1	250	-	





### Collare fermatubo in acciaio zincato

DN (mm)	Codice	€/pz			Ø vite congiunzione	Ø tassello
40	ZCA40PP	<b>4,97</b>	50	1.800	Ø10 x 100	Ø14 x 80
50	ZCA50PP	<b>5,37</b>	50	1.800	Ø10 x 100	Ø14 x 80
75	ZCA75PP	<b>6,02</b>	50	1.800	Ø10 x 120	Ø14 x 80
90	ZCA90PP	<b>6,46</b>	50	1.800	-	-
110	ZCA11PP	<b>6,82</b>	2	1.440	Ø10 x 120	Ø14 x 80
125	ZCA12PP	<b>7,43</b>	30	1.080	Ø10 x 120	Ø14 x 80
160	ZCA16PP	<b>9,35</b>	30	1080	Ø10 x 140	Ø14 x 80


## Collare isofonico standard





DN (mm)	Codice	€/pz			Note
50	AV00500	<b>8,58</b>	2	1.800	
75	AV00700	<b>8,91</b>	2	720	
90	AV00900	<b>11,32</b>	2	720	
100	AV01000	<b>11,32</b>	2	720	
110	AV01100	<b>12,05</b>	2	720	
125	AV01200	<b>14,97</b>	2	720	
160	AV01600	<b>25,67</b>	10	360	



## Phonoklip, collare acustico in materiale plastico





DN (mm)	Codice	€/pz			Filetto Ø	L (mm)	I (mm)	Note
50	PHONK50	<b>8,76</b>	10	-	M8	76	78	
75	PHONK75	<b>9,17</b>	10	-	M8	112	111	
90	PHONK90	<b>11,74</b>	10	-	M8	144	131	
100	PHONK10	<b>12,05</b>	10	-	M7	160	140	Viti M7 vedi pag 257
110	PHONK11	<b>12,77</b>	10	-	M8	171	150	
125	PHONK12	<b>20,60</b>	2	-	M10	213	170	Ø14 x 80
160	PHONK16	<b>29,98</b>	2	-	M10	245	213	Ø14 x 80

Viti di fissaggio non incluse





## Collari tagliafuoco (EN 1366-3 e ETAG 026-2)

DN (mm)	Codice	€/pz			S (mm)	Note
40	K0096PE	<b>51,97</b>	1	960	30	Ideale anche su Ø32
50	K0088PE	<b>51,97</b>	1	960	30	
63	K0097PE	<b>69,63</b>	1	960	30	
75	K0089PE	<b>73,46</b>	1	960	30	
90	K0090PE	<b>87,52</b>	1	960	30	
110	K0091PE	<b>101,57</b>	1	960	30	ideale anche su Ø100
125	K0092PE	<b>121,91</b>	1	960	45	
160	K0095PE	<b>202,38</b>	1	640	45	





## Calza disaccoppiante isofonica

DN (mm)	DN tubo (mm)	Lunghezza rotolo	Codice	€/Rotolo			S (mm)	Note
80	75 - 80 - 90	15 metri	CD08500	<b>63,00</b>	6	-	5	
110	100 - 110	15 metri	CD11500	<b>67,78</b>	5	-	5	
110	100 - 110	15 metri	CD11100	<b>138,30</b>	5	4995	10*	







### Lubrificante

Confez.	Peso (gr.)	Codice	€/pz			Note
Tubetto	150	6741500	<b>5,69</b>	50	1.200	
Tubetto	250	6742500	<b>6,66</b>	50	1.000	
Barattolo	500	6745000	<b>10,90</b>	12	840	
Barattolo	1.000	6746000	<b>14,18</b>	12	432	



### Colla per PVC

Confez.	Codice	€/pz			Note
Colla in tubetto 125 ml	COLLA12	<b>6,58</b>	30	1.920	
Colla in barattolo con pennello 250 ml	COLLA25	<b>10,45</b>	36	1.296	
Colla in barattolo con pennello 500 ml	COLLA50	<b>18,68</b>	24	768	
Colla in barattolo con pennello 1000 ml	COLLA00	<b>32,03</b>	12	432	



### Detergente

Confez.	Peso (gr.)	Codice	€/pz			Note
Lattina	1 litro	6721100	<b>24,75</b>	8	384	