

# Adduzione acqua sanitaria in PP-R

 wefatherm





Tubi e raccordi in  
polipropilene random

  
aliaxis





### Tubo in barre da 4 mt. SDR 6 PN 20

Ø (mm)	Codice	 (mt)	 (mt)	Note
20 X 3,4	QT820RH	100	5000	
25 X 4,2	QT825RH	100	3000	
32 X 5,4	QT832RH	40	920	
40 X 6,7	QT840RH	40	480	
50 X 8,4	QT850RH	20	200	
63 X 10,5	QT863RH	20	180	



### Curva di sorpasso

Ø (mm)	Codice	 (mt)	 (mt)	Note
20	Q7520RH	10	3200	
25	Q7525RH	10	1920	





### Sorpasso compatto F/F

Ø (mm)	Codice	 (mt)	 (mt)	Note
20	QSC20RH	1	3840	





### Gomito a 45° M/F

Ø (mm)	Codice	 (mt)	 (mt)	Note
20	Q1220RH	250	8000	
25	Q1225RH	200	6400	
32	Q1232RH	100	3200	





### Curva ampio raggio

Ø (mm)	Codice	 (mt)	 (mt)	Note
20	Q7420RH	150	4800	
25	Q7425RH	80	2560	
32	Q7432RH	50	1600	





### Gomito 90° Femmina

Ø (mm)	Codice	 (mt)	 (mt)	Note
20	Q2420RH	10	9600	
25	Q2425RH	10	6400	
32	Q2432RH	10	3840	
40	Q2440RH	5	1920	
50	Q2450RH	5	960	
63	Q2463RH	15	480	





### Gomito 90° filettato Femmina

Ø (mm)	Codice			Note
20X1/2"	QG220RH	10	3200	
20X3/4"	QG320RH	10	3200	
25X1/2"	QG225RH	10	3200	
25X3/4"	QG325RH	10	3840	





### Gomito 90° filettato Maschio

Ø (mm)	Codice			Note
20X1/2"	QC220RH	10	3840	
25X1/2"	QC225RH	10	3200	
25X3/4"	QC325RH	10	3200	





### Gomito 90° filettato Femmina con staffa

Ø (mm)	Codice			Note
20X1/2"	QS220RH	10	3200	
25X1/2"	QS225RH	10	3200	





### Gomito 45° Femmina

Ø (mm)	Codice			Note
20	Q2320RH	10	9600	
25	Q2325RH	10	6400	





### Raccordo a T filettato Femmina

Ø (mm)	Codice			Note
20X1/2"	QT220RH	10	3840	
25X1/2"	QT225RH	10	1600	
25X3/4"	QT325RH	10	2560	





### Raccordo a T Femmina

Ø (mm)	Codice			Note
20	Q4520RH	10	6400	
25	Q4525RH	10	3840	
32	Q4532RH	10	2560	
40	Q4540RH	5	1280	
50	Q4550RH	5	640	
63	Q4563RH	1	-	





### Raccordo a T ridotto Femmina

Ø (mm)	Codice			Note
25X20X25	Q3125RH	10	4800	
32X20X32	Q3232RH	10	2560	
32X25X32	Q3132RH	10	2560	
40X20X40	Q3340RH	5	1280	
40X25X40	Q3225RH	5	1280	
40X32X40	Q3140RH	5	1280	
50X32X50	Q3250RH	5	640	
50X40X50	Q3150RH	5	640	
63X40X63	Q3263RH	1	-	
63X50X63	Q3163RH	1	-	



### Manicotto Femmina



Ø (mm)	Codice			Note
20	Q6120RH	10	11200	
25	Q6125RH	10	9600	
32	Q6132RH	10	4800	
40	Q6140RH	5	3200	
50	Q6150RH	5	1920	
63	Q6163RH	1	960	



### Calotta di chiusura Femmina



Ø (mm)	Codice			Note
20	Q6620RH	10	12800	
25	Q6625RH	10	9600	
32	Q6632RH	10	6400	
40	Q6640RH	5	3200	
50	Q6650RH	5	1600	
63	Q6663RH	1	-	



### Riduzione concentrica M/F



Ø (mm)	Codice			Note
25X20	Q9125RH	10	9600	
32X20	Q9232RH	5	6400	
32X25	Q9132RH	10	6400	
40X32	Q9140RH	5	3200	
50X40	Q9150RH	5	640	
63X50	Q9163RH	1	-	

### Carota ripara fori



Ø (mm)	Codice			Note
7/11	QA400RH	10	-	



### Manicotto elettrico

Ø (mm)	Codice			Note
20	QME20RH	1	960	
25	QME25RH	1	960	



Tipo A: dal Ø20 al Ø25



Tipo B: Ø 32

### Giunto filettato Femmina

Ø (mm)	Codice			Note
20x1/2"	QF220RH	10	6400	
25x3/4"	QF325RH	10	5120	
32x1"	QF432RH	5	1920	



Tipo A: dal Ø20 al Ø25



Tipo B: Ø 32

### Giunto filettato Maschio

Ø (mm)	Codice			Note
20x1/2"	QM220RH	10	2560	
25x3/4"	QM325RH	10	3840	
32x1"	QM432RH	5	2560	



### Tappo prova impianti

Ø (mm)	Colore	Codice		
20 x 1/2"	BLU	QTC20RH	25	4800
20 x 1/2"	ROSSO	QTC22RH	25	4800
20 x 3/4"	BLU	QTC25RH	20	



### Rubinetto vitone tipo A

Ø (mm)	Codice			Note
20	QR220RH	1	960	



### Prolunga per rubinetto

Ø (mm)	Codice			Note
3/4"	QRD25RH	1	1280	



### Cappuccio con rosone

Ø (mm)	Codice			Note
3/4"	QRR99RH	1	480	